



ABM LINE 2

Wall Tile Collections

AGO
AZU
FLA
BLAN
KEZ
ANN & TIM
CALC
CAR
GOLE
MERL








ABM FLA

The charm of the stone so hard, varied, radiating and foreboding of eternity. With a thousand year old tradition, the stone represents the solidity and strength of the architecture but also the beauty that defies time.



ABM CALC

Versatility and
contemporary taste for
residential
and commercial
locations.







ABM KEZ

Unleashes the expressive force of the natural material, with rich surfaces, finely styled in every detail, ideal for compositions with strong decorative impact..






ABM ANN

"It is not so much for its
beauty that the forest
remains etched in the
hearts of men, as for that
subtle something, that
quality of air that emanates
from old trees, that so
wonderfully changes and
renews a
spirit tired."

Peter Burke







ABM CAR

Lovely marbles and stones
reinterpreted in a wall covering
collection that combines
classical
beauty with contemporary taste.





WALL TILES RED BODY 25X50



ABM AGO MARFIL 25X50



ABM AGO DC MARFIL 25X50



ABM AGO NOCE 25X50



ABM AGO DC NOCE 25X50



ABM AZU 25X50




ABM AZU DC 25X50

PACKAGING / WEIGHTS

Dimension	Thickness	Surface	Pcs/Box	M ² /Box	KG/Box	Box/Pallet	M ² /Pallet
25X50	8,5	Glossy	14	1,75	24,75	48	84


WALL TILES RED BODY 25X70



ABM FLA BLANCO
MATE 25X70



ABM FLA ONDAS BLANCO
BRILLO 25X70



ABM FLA BLANCO
BRILLO 25X70



ABM FLA LINER BLANCO
BRILLO 25X70


PACKAGING / WEIGHTS

Dimension	Thickness	Surface	Pcs/Box	M ² /Box	KG/Box	Box/Pallet	M ² /Pallet
25x70	8,5	Glossy/ Matt	9	1,58	24,64	64	101,12

WALL TILES RED BODY
ABM BLAN



20X60 MAT
20X60 GLOSSY



30X60 MAT
30X60GLOSSY

PACKAGING / WEIGHTS

Dimension	Thickness	Surface	Pcs/Box	M ² /Box	KG/Box	Box/Pallet	M ² /Pallet	KG/ Pallet
20X60	9,4	Glossy/ Matt	9	1,08	17,9	80	86,4	1452
30X60	7	Glossy/ Matt	8	1,44	22,5	32	46,08	740

WALL TILES WHITE BODY 7,5X30



ABM KEZ BLANCO 7,5X30



ABM KEZ GRIS 7,5X30



ABM KEZ BLANCO MATE 7,5X30



ABM KEZ MARENGO 7,5X30



ABM KEZ PERLA 7,5X30



ABM KEZ NEGRO 7,5X30



ABM KEZ JADE 7,5X30




ABM KEZ PETROLEO 7,5X30

PACKAGING / WEIGHTS

Dimension	Thickness	Surface	Pcs/Box	M ² /Box	KG/Box	Box/Pallet	M ² /Pallet
7,5X30	10	Glossy	25	0,56	9	121	67,76

WALL TILES WHITE BODY 30X90 RECTIFIED



ABM ANN MAT 30X90 RET



ABM ANN RLV GALAGOS BLANCO
MAT 30X90 RET



ABM TIM BRILLO 30X90 RET



ABM TIM RLV GALAGOS BLANCO
BRILLO 30X90 RET



ABM CAR 30X90 RET



ABM CAR RLV 30X90 RET



ABM MERL RLV NOCE 30X90 RET



ABM MERL RLV GRIS 30X90 RET


PACKAGING / WEIGHTS

Dimension	Thickness	Surface	Pcs/Box	M ² /Box	KG/Box	Box/Pallet	M ² /Pallet	KG/Pallet
30X90 Rectified	10,5	Matte	4	1,08	18,75	64	69,12	1220

WALL TILES WHITE BODY 30X90 RECTIFIED




ABM CALC CREAM 30X90 RET



ABM CALC DC KOVO CREAM 30X90
RET




ABM CALC BONE 30X90 RET



ABM CALC DC KOVO GREY 30X90 RET



ABM CALC PEARL 30X90 RET



ABM CALC RLV ENZO BONE 30X90
RET



ABM CALC GREY 30X90 RET



ABM CALC RLV ENZO PERLA 30X90
RET

PACKAGING / WEIGHTS

Dimension	Thickness	Surface	Pcs/Box	M ² /Box	KG/Box	Box/Pallet	M ² /Pallet	KG/Pallet
30X90 Rectified	10,5	Matte	4	1,08	18,75	64	69,12	1220

WALL TILES WHITE BODY 30X90 RECTIFIED



ABM GOLE PERLA 30X90 RET



ABM GOLE DC GEA PERLA 30X90 RET



ABM GOLE GRIS 30X90 RET



ABM GOLE MARFIL 30X90 RET



ABM GOLE DC GEA MARFIL 30X90
RET



ABM GOLE TAUPE 30X90 RET

PACKAGING / WEIGHTS

Dimension	Thickness	Surface	Pcs/Box	M ² /Box	KG/Box	Box/Pallet	M ² /Pallet	KG/Pallet
30X90 Rectified	10,5	Matte	4	1,08	18,75	64	69,12	1220

TECHNICAL FEATURES FOR MONOPOROSA WALL TILES

GROUP BIa (GL) Water absorption < 0,5%0		STANDARD	VALUE REQUIRED BY EN 14411 STANDARD	AVERAGE VALUE
Dimensional features		ISO 10545-2		Conforms to standard
Water absorption		ISO 10545-3	> 10%	16%
Modulus of rupture	Modulus of rupture	ISO 10545-4	> 15 N / mm ²	20 - 30 N/ mm ²
	Breaking strength		> 600 N	700 - 1000 N
Resistance to surface abrasion		ISO 10545-7	Abrasion class indicated by the manufacturer	Not apply
Linear thermal expansion		ISO 10545-8	Test method available	<7,0 x 10 ⁻⁶ °C ⁻¹
Thermal shock resistance		ISO 10545-9	Test method available	Resists
Crazing resistance		ISO 10545-11	Required	Resists
Chemical resistance	Acids and bases	ISO 10545-13	Test method available	Conforms to standard
	Cleaning products and pool reactive agents		Minimum GB	Class GA
Resistance to stains		ISO 10545-14	Minimum class 3	Conforms to standard

Organization & RND
ABM®

info@abmcosmos.com
www.abmcosmos.com