

Candia[®]

Fascino Italiano

Magazine 2024

For professionals



Candia[®]

Fascino Italiano



ΙΣΤΟΡΙΑ ΤΗΣ ΜΑΡΚΑΣ CANDIA

Η Candia γεννήθηκε κοντά στο βιομηχανικό κέντρο Finale Emilia (Modena), που ιδρύθηκε το 1973 από τον Giorgio Mussini. Εταιρία που ειδικεύεται στην παραγωγή υαλωμένων πλακιδίων για δάπεδα και τοίχους, τα προϊόντα κατασκευάζονται με τον κύκλο επεξεργασίας διπλού ψησίματος, με φούρνο σήραγγας Porporri που επέτρεπε την παραγωγή 2000/m²/ημέρα.

Ήταν μια εταιρεία προσανατολισμένη στην έρευνα και ανάπτυξη εξελιγμένων διακοσμητικών εφέ. Κατά τη διάρκεια της δεκαετίας του 1960, η Candia εισήγαγε ένα τμήμα αφιερωμένο στη δημιουργία επίπεδων οθονών, προκειμένου να γίνει αυτόνομο από άποψη σχεδιασμού και αισθητικής έρευνας. Ήταν τη δεκαετία του εβδομήντα όταν η Candia αποφάσισε να ειδικευτεί στην επιχείρηση επισμάλτου χρησιμοποιώντας στηρίγματα μπισκότων που παρέχονται από τις εταιρείες Universal ή I.R.I.S. Κεραμικά (Semigres) και γραμμές αφιερωμένες στη διακόσμηση, για να ολοκληρωθεί στη συνέχεια ο κύκλος παραγωγής με το δεύτερο ψήσιμο και τέλος η επιλογή. Chef, Splato, Unisystem, Caldegocce, Musicanova, Folklore είναι οι συλλογές που παρουσιάστηκαν το 1989 από τον Όμιλο Candia Ceramica. Κατά τη διάρκεια της τελευταίας δεκαετίας του ογδόντα, με τη συνεργασία των Original Designers&R5, η εταιρεία επιβεβαιώθηκε ξανά τόσο στην Ιταλία όσο και σε διάφορες ξένες χώρες, συμπεριλαμβανομένης της Ιαπωνίας, όπου συνήψε συνεργασία με τον όμιλο Inax.

Το 2004 η παραγωγή σταμάτησε και το εργοστάσιο πουλήθηκε στην εταιρεία Mo.MA, το σήμα «Candia» διατηρήθηκε και πουλήθηκε στην Pastorelli S.p.A.

Το 2012 αγοράστηκε από τον όμιλο ABM.



Candia Industry

Member of ABM Group

Via Bosco 26, 42019 Scandiano (RE), Italy

ABM products offer bundled competence in the area of ceramic tiles and for all types of applications. Combining functionality, maximum quality and first-class design within the framework of individual demands is the challenge we continually and successfully rise to meet in developing new products. It's worth noticing that all products are manufactured so that they meet the International European models **ISO9001** and **EN1441: 2006** and all certifications granted, can confirm this.

Κεντρικά γραφεία Ελλάδος

Μέλος του ABM GROUP
Κεντρικές αποθήκες και έκθεση



Candia[®]


Fascino Italiano

The Candia brands synthesize and combine a consolidated tradition in the sale of ceramic products; the research, the style and design proposed, together with the expertise developed over the years, allow to satisfy the most varied housing requirements.

The creativity and continuous renewal of designs for both domestic and high traffic areas fully meet the needs of modern design in line with contemporary trends.

The exclusivity and completeness of the proposals enable to create innovative and unique environments.





The continuous customer after sales support is extremely important for our company. For this reason, a technical department has been set up to provide constant solutions and support.

Care Services

The continuous customer after sales support is extremely important for our company. For this reason, a technical department has been set up to provide constant solutions and support.

Please visit <https://www.abmcosmos.com/abm-care/> should you have any problem. Our well trained and experienced technicians will get back to you as soon as possible.

OEM Projects

SIMPLY THE BEST

Now with ABM, we create & produce the products that you wish.

- At competitive prices
- Absolute repetitive of your design
- Production quantity as your request

Not to mention, all guaranteed with quality and delivery time by the ABM group.

Our OEM department is ready to support, with the following steps:

Receive your request

Analyze the technical specifications

Check the production schedule

Quote the project

Inform you for all necessary steps

For more info, you might visit <https://www.abmcosmos.com/oem-project/>



Product Technical Features

We take pride in our extensive production capabilities that allow us to cater to a wide range of project requirements. With our state-of-the-art facilities and a highly skilled team, we can fulfill your unique design needs and deliver exceptional products for any project.

Concrete Look

with delicate warm and cold shades




Size options

320x160, 240x120,
160x160, 120x120,
100x100, 80x80, 60x120,
60x60, 30x90, 30x60,
20x120

Stone Look

finest, rarest stones live again, with greater clarity and sustainability than the originals



timeless beauty of Marble Look




Mix & Match

Blend it with multi-material and create both aesthetic and technical.

Tailor Made

personalization to any possible project



Various application

Home, office, building, external cladding, commercial public, hospitality, tailor made, and much more

Technical features

Water absorption 0,5 glazed porcelain tiles
Anti slip resistant R9-R11
Anti stain
Frost resistance
Resistance to household chemicals

Technical Features:

Our products are strictly follow exclusive technologies, high standards and reliability. These make us are well trusted by our most valuable customers. Product features include:

Full body rectified, technical glazed porcelain, lowest maintenance efforts, antibacterial surfaces, liquid repellent & water resistant, impact resistant, heat resistant, frost resistant, scratch resistant and abrasion resistant, chemical & stain resistant, fire resistant and resistant to bending.


	ASSORBIMENTO % D'ACQUA Water absorption %		RESISTENZA AGLI SBALZI TERMICI Thermal shock resistance
	RESISTENZA ALLA FLESSIONE Breaking strenght		RESISTENZA ALL'ABRASIONE PROFONDA Resistance to deep abrasion
	RESISTENZA AL GELO Frost resistance		RESISTENZA ALL'ABRASIONE Abrasion resistance
	RESISTENZA ALL'ATTACCO CHIMICO Chemical resistance		RESISTENZA ALLE MACCHIE Stain resistance
	DUREZZA MOHS Mohs hardness		COEFFICIENTE ATTRITO DINAMICO Measurement of dynamic friction coefficient
	RESISTENZA ALLO SCIVOLAMENTO Slip resistance (coefficient of friction)		

Size Flexibility:

We offer a diverse range of sizes to accommodate various design preferences. From larger formats measuring 320×160 to more compact options at 30×60, our production capabilities ensure that we can meet your specific size requirements. Whether you're working on a grand architectural project or a smaller-scale design, we have the expertise to provide tiles that perfectly fit your vision.

Sizes include:

Floor glazed porcelain in dimension of 30×60, 60×60, 60×120, 80×80, 20×120, 100×100, 120×120, 120×240, 160×320 as well as wall 30×90 rectified white body.




Surface Variety:


We understand the importance of surface finishes in enhancing the overall aesthetic appeal of your space. That's why we offer a wide range of surface treatments to choose from, ensuring that your tiles are not only visually striking but also meet your functional needs. Our surface options include:

Mat / Glossy, Carving, Digital Printing, Diamond Glass, Dark / White Color Body, Cool Beige, Lignin Black, Soft Peach, Rhino Grey, Reed Green, Silver Spring, Steel Grey, Golden Brown, Ocean Blue, Moss Green, Bottled Olive, and Dark Cobalt Blue.


Applications:




**TOPS &
KITCHEN**




**FLOORS
WALLS & STAIRS**




**TOPS &
BATHROOMS**



BACKLIGHT
































**INTERIOR
& DESIGN**



**SHELVES
& CONSOLE**

INDICE / INDEX

Collezione/ Collection

	Pentelikon Marble	15
	Carrara Marble	19
	Dionysos Marble	23
	Versilles Marble	27
	Crema Vanilla	31
	Belgium Marble	35
	Alpes Marble	39
	Mosaic Marble	45
	Travertino Marble	49
	Epidavros Marble	59
	Patagonia Marble	65
	Metallica 2	71
	Neutral	75
	Stone Age	87
	Lava Stone	91
	Pag Stone	95
	Tibet Stone	99
	Florence Marble	103
	Olympos Stone	107
	Brasilian Stone	111
	Chambord Dry Stone	115
	Montreal	127
	Ecowood	131
	Cotto	145
	Mix Marble Pave	149
	Marquina Marble	153
	Premium Marquina Marble	157
	Hygienic & Technical	163
	In Nature	175

PENTELIKON MARBLE SUPER WHITE

Spessore/ Thickness

9mm/ 8,5mm

Formati/ Sizes

100x100 - 39.19"x39.19" Rett.

60x120 – 24"x48" Rett.

60x60 – 24"x24" Rett.

30X90 – 12"x36" Rett

Finiture/ Finishing

Mat

Super Polished




PENTELIKON MARBLE
SUPER WHITE
IN GLAZED PORCELAIN

3 formati / sizes

1 spessore / thickness


9 mm



100x100 – "39,37 x39,37" rett
Super Polished
Mat



60x120 - 24"x48" rett.
Super Polished
Mat




60x60 - 24"x24" rett.
Super Polished
Mat

Mat surface

Resistenza allo scivolamento / slip resistance **R9**

ANTI-SLIP BOARD MARBLE 20x120 - 8"x48" rett.



Resistenza allo scivolamento / slip resistance **R11**

Grout color: White no. 1
Ice White no. 21



PENTELIKON MARBLE
SUPER WHITE
IN WALL TILE

1 formati / sizes

1 spessore / thickness

8,5 mm




30x90 - 12"x36" rett.
Super Polished
Mat

2 decoro / decor



30x90 - 12"x36 rett.
Blum
Mat



30x90 - 12"x36 rett.
Line
Super Polished

Immerse yourself in the allure of
PENTELIKON MARBLE SUPER WHITE
which evoke the pristine beaches, charming villages, and azure waters
that have made the Greek Islands a beloved destination for travelers worldwide.
Each tile in our range has been meticulously crafted to bring the essence of this
enchancing archipelago into your living spaces.



CARRARA MARBLE

Spessore/ Thickness

9 mm

Formati/ Sizes

60x60 – 24"x24" Rett.

60x120 – 24"x48" Rett.

Finiture / Finishing

Super Polished

Mat





A FACE




B FACE

CARRARA MARBLE

2 formati / sizes

1 spessore / thickness

9 mm



60x60 - 24"x24" rett.
Super Polished
Mat




60x120 - 24"x48" rett.
Super Polished
Mat

Mat surface

Resistenza allo scivolamento / slip resistance **R9**

ANTI-SLIP BOARD MARBLE 20x120 - 8"x48" rett.



Resistenza allo scivolamento / slip resistance **R11**

Grout color: White no. 1
Ice White no. 21



DIONYSOS MARBLE

Spessore/ Thickness

8,8-9 mm

Formati/ Sizes

60x120 – 24"x48" Rett.

Finiture / Finishing

Mat

Super Polished





A FACE



B FACE

DIONYSOS MARBLE

1 formati / sizes

1 spessore / thickness

8,8-9 mm



60x120 - 24"x48" rett.


Super Polished

Mat

Mat surface

Resistenza allo scivolamento / slip resistance **R9**

ANTI-SLIP BOARD MARBLE 20x120 - 8"x48" rett.



Resistenza allo scivolamento / slip resistance **R11**

Grout color: White no. 1
Ice White no. 21



VERSAILLES MARBLE

Spessore/ Thickness

9 mm

Formati/ Sizes


100x100 – "39,37 x39,37" Rett.

Finiture / Finishing

Super Polished

Mat







MAT



SUPER POLISHED

MAT

SUPER POLISHED

VERSAILLES MARBLE

1 formati / sizes


1 spessore / thickness

9 mm




100x100 – "39,37 x39,37" rett.
Super Polished
Mat

combinations



100x100 – "39,37 x39,37" rett.
Pentelikon Marble Super White
Super Polished
Mat



100x100 – "39,37 x39,37" rett.
Hygienic & Technical Black
Super Polished
Mat

Grout color: White no. 1
Ice White no. 21



CREMA VANILLA MARBLE

Spessore/ Thickness

9 mm

Formati/ Sizes

60x60 – 24"x24" Rett.


60x120 – 24"x48" Rett.

Finiture/ Finishing

Super Polished








Repetition of 12 faces

CREMA VANILLA MARBLE


2 formati / sizes

1 spessore / thickness

9 mm




60x60 - 24"x24" rett.
Super Polished



60x120 - 24"x48" rett.
Super Polished

Grout color: Vanilla no. 29



BELGIUM MARBLE

Spessore/ Thickness

8,5-8,7mm

Formati/ Sizes

60x60 – 24"x24" Rett.

Finiture/ Finishing

Super Polished



A FACE

B FACE





C FACE

D FACE

BELGIUM MARBLE

1 formati / sizes

1 spessore / thickness

8,5-8,7 mm



60x60 - 24"x24" rett.
Super Polished


combinations



60x60 - 24"x24" rett.
Mosaic Marble
Mat



60x120 - 24"x48" rett.
Pentelikon Marble Super White
Super Polished
Mat



60x60 - 24"x24" rett.
Pentelikon Marble Super White
Super Polished
Mat

Grout color: White no. 1
Ice White no. 21



ALPES MARBLE

Spessore/ Thickness

8,8-9 mm

Formati/ Sizes

60x120 – 24"x48" Rett.

Finiture / Finishing

Super Polished

Mat





A FACE



B FACE



A FACE

C FACE

B FACE

D FACE

ALPES MARBLE

1 formati / sizes

1 spessore / thickness

8,8-9 mm



60x120 - 24"x48" rett.


Super Polished

Mat

Mat surface

Resistenza allo scivolamento / slip resistance **R9**

ANTI-SLIP BOARD MARBLE 20x120 - 8"x48" rett.



Resistenza allo scivolamento / slip resistance **R11**

Grout color: White no. 1
Ice White no. 21



ALPES MARBLE

combinations




60x60 - 24"x24" rett.
Mosaic Marble
Mat



60x60 - 24"x24" rett. Mat, R11 , Super Polished
60x120 - 24"x48" rett. Mat, R11 , Super Polished
Neutral Minimal



60x120 - 24"x48" rett.
Pentelikon Marble Super White
Super Polished
Mat



60x60 - 24"x24" rett.
Pentelikon Marble Super White
Super Polished
Mat

MOSAIC MARBLE

Spessore/ Thickness

8,5-8,7 mm

Formati/ Sizes

60x60 – 24"x24" Rett.

Finiture/ Finishing

Mat








Repetition of 4 faces

MOSAIC MARBLE

1 formati / sizes

1 spessore / thickness

8,5-8,7 mm



60x60 - 24"x24" rett.
Mat

Resistenza allo scivolamento / slip resistance **R10+**

Grout color: Dark Grey no. 4



TRAVERTINO MARBLE

Spessore/ Thickness

8,5-8,7 mm

8,8-9 mm

Formati/ Sizes

60x60 – 24"x24" Rett.

60x120 – 24"x48" Rett.

Finiture/ Finishing

Mat

Super Polished





PISA TRAVERTINO MARBLE

60x60.
Super Polished

Design 1

Repetition of 2 faces



Design 2

Repetition of 4 faces

A FACE

B FACE



TRAVERTINO CREMA MARBLE

60x120.
Mat

C FACE



D FACE





Repetition of 4 faces



TRAVERTINO NOCE MARBLE

60x120.
Mat

AVAILABLE FACES

Repetition of 3 faces



The smooth, glossy finish of our tiles exudes luxury. They not only capture the essence of opulence but are also easy to clean and maintain, making them an ideal choice for kitchens, bathrooms, and beyond.

Let your imagination run wild as you explore the creative potential of these marble tiles. These tiles are a canvas for your interior design dreams, and the results are nothing short of breathtaking.

TRAVERTINO MARBLE

2 formati / sizes


1 spessore / thickness

60X60 8,5-8,7 mm

60X120 8,8--9 mm



60x120 - 24"x48" rett.
Mat



60x60 - 24"x24" rett.
Super Polished

Grout color:

Vanilla no. 29
Dark Grey no. 4



EPIDAVROS MARBLE

Spessore/ Thickness

9 mm

Formati/ Sizes


100x100 – "39,37 x39,37" Rett.

Finiture / Finishing

Mat

Super Polished






A sleek and sophisticated look with **Epidaurus marble**.
It offers a luxurious look and feel,
and can instantly transform the look of
any room.



EPIDAVROS MARBLE RED LINE




EPIDAVROS MARBLE GREEN OLIVE



EPIDAVROS MARBLE BROWN

EPIDAVROS MARBLE


1 formati / sizes




100x100 – "39,37 x39,37" rett.
Super Polished
Mat

1 spessore / thickness

9 mm



combinations



60x60 - 24"x24" rett.
Pentelikon Marble Super White
Super Polished
Mat



60x120 - 24"x48" rett.
Pentelikon Marble Super White
Super Polished
Mat



60x60 - 24"x24" rett.
Neutral Minimal
Super Polished
Mat

Grout color: White no. 1
Ice White no. 21



PATAGONIA MARBLE

Spessore/ Thickness

8,8-9 mm

Formati/ Sizes


60x120 – 24"x48" Rett.

Finiture/ Finishing

Super Polished



A FACE



B FACE



C FACE



D FACE





match tiles



60x120 - 24"x48" rett.
Travertino Crema
Mat
(4 faces)

PATAGONIA MARBLE

1 formati / sizes


1 spessore / thickness

8,8-9 mm



60x120 - 24"x48" rett.
Super Polished

Grout color: Vanilla no. 29



METALLICA 2

Spessore/ Thickness

9 mm

Formati/ Sizes

60x120 – 24"x48" Rett.


Finiture/ Finishing

Mat




A FACE

B FACE



C FACE

D FACE



METALLICA 2

1 formati / sizes

1 spessore / thickness

9 mm



60x120 - 24"x48" rett.
Mat


Resistenza allo scivolamento / slip resistance **R9**

ANTI-SLIP BOARD BEIGE 20x120 - 24"x48" rett.



Resistenza allo scivolamento / slip resistance **R11**

Grout color: White no. 1
Ice White no. 21
Vanilla no. 29



NEUTRAL

Spessore/ Thickness

9 mm

Formati/ Sizes

30x60 - 12"x24" Rett.

60x60 - 24"x24" Rett.

60x120 - 24"x48" Rett.

Finiture/ Finishing

Mat

Super Polished



perla

beige

taupe

grigio

grafito

minimal

6 colori / colors

SUPER GLOSSY

MAT R9

MAT R11

MAT ROCK R10

MAT SLATE R10

5
finishes

60x120 slate - R10 available colors

minimal
repetition of 3 faces



perla
repetition of 8 faces



beige

30x60 rock - R10 available colors

mosaic 60x120 available colors

beige
repetition of 5 faces

grigio
repetition of 5 faces

60x60 butterfly

repetition of 20 faces

NEUTRAL



COLORS	SIZES	FINISHES	SAFE STYSTEM
Perla	30x60	mat	R9
	30x60 rock	mat	R10
	60X60	mat	R9/ R11
	60X60	super polished	
	60x120	mat	R9/ R11
	60x120	super polished	
	60x120 slate	mat	R10
Beige	30x60	mat	R9
	30x60 rock	mat	R10
	60X60	mat	R9/ R11
	60X60	super polished	
	60x120	mat	R9/ R11
	60x120	super polished	
	60x120 mosaic 60x120 slate	mat mat	R9 R10
Taupe	30x60	mat	R9
	60x60	mat	R9
	60x120	mat	R9

NEUTRAL




COLORS	SIZES	FINISHES	SAFE STYSTEM
Grigio	30x60	mat	R9
	60x60	mat	R9
	60x120	mat	R9
	60x120 mosaic	mat	R9
Grafito	30x60	mat	R9
	60x60	mat	R9/ R11
	60x120	mat	R9
Minimal	30x60	mat	R9
	60X60	mat	R9/ R11
	60X60	super polished	
	60x120	mat	R9/ R11
	60x120	super polished	
	60x120 slate	mat	R10

NEUTRAL


3 formati / sizes

1 spessore / thickness


9 mm



60x120 - 24"x48" rett.
Mat
Super polished




60x60 - 24"x24" rett.
Mat
Super polished



30x60 - 12"x24" rett.
Mat

Resistenza allo scivolamento / slip resistance **R9/ R11**

Grout color:



NEUTRAL

2 mosaico / mosaics



beige mosaics
60x120 mat R9



grigio mosaics
60x120 mat R9

1 decori / decor




Butterfly
60x60 mat R9

1 anti-slip boards



Anti-slip board beige
20x120 - 8"x48" rett.



Anti-slip board grigio
20x120 - 8"x48" rett.

Resistenza allo scivolamento / slip
resistance **R11**

The Better Tile Experience - all surrounding us vibrate. To stimulate the senses, to produce feelings, to release memoirs...

Add a unique ambiance to any space with Neutral, the ideal choice for contemporary, minimalist environments. Its effect is very versatile and can be used in both residential and commercial settings.

STONE AGE

Spessore/ Thickness

8,8-9 mm

Formati/ Sizes

60x120 – 24"x48" Rett.

Finiture/ Finishing

Mat



A FACE


B FACE



Stone Age Light

A FACE

B FACE



Stone Age

STONE AGE

1 formati / sizes

2 colori / colors



1 spessore / thickness

8,8-9 mm

60x120 - 24"x48" rett.
Mat

Resistenza allo scivolamento / slip resistance **R10+**

ANTI-SLIP BOARD BEIGE 20x120 - 8"x48" rett.



Resistenza allo scivolamento / slip resistance **R11**

Grout color: Vanilla no. 29
Moka no. 26



LAVA STONE

Spessore/ Thickness

8,5-8,7 mm

Formati/ Sizes

60x60 – 24"x24" Rett.

Finiture/ Finishing

Mat



A FACE

B FACE





C FACE


D FACE

LAVA STONE

1 formati / sizes

1 spessore / thickness

8,5-8,7 mm



60x60 - 24"x24" rett.
Mat

Resistenza allo scivolamento / slip resistance **R9**

Grout color: Dark Grey no. 4



PAG STONE

Spessore/ Thickness

8,5-8,7 mm

Formati/ Sizes

60x60 – 24"x24" Rett.

Finiture/ Finishing

Mat








Repetition of 6 faces

PAG STONE

1 formati / sizes

1 spessore / thickness

8,5-8,7 mm



60x60 - 24"x24" rett.
Mat

Resistenza allo scivolamento / slip resistance **R10+**

Grout color: Dark Grey no. 4



TIBET STONE GREY LIGHT

Spessore/ Thickness

9 mm

Formati/ Sizes

60x120 – 24"x48" Rett.

Finiture/ Finishing

Mat



A FACE

B FACE



C FACE

D FACE




TIBET STONE GREY LIGHT

1 formati / sizes

1 spessore / thickness


8,8-9 mm



60x120 - 24"x48" rett.
Mat

Resistenza allo scivolamento / slip resistance **R10+**

ANTI-SLIP BOARD



MARBLE 20x120 - 8"x48" rett.



GREY 20x120 - 8"x48" rett.

Resistenza allo scivolamento / slip resistance **R11**

Grout color: White no. 1

Dark Grey no. 4



FLORENCE MARBLE

Spessore/ Thickness

8,8-9 mm

Formati/ Sizes

60x120 – 24"x48" Rett.


Finiture/ Finishing

Mat



A FACE

B FACE



C FACE

D FACE



FLORENCE MARBLE

1 formati / sizes

1 spessore / thickness

8,8-9 mm




60x120 - 24"x48" rett.
Mat

Resistenza allo scivolamento / slip resistance **R9**

Grout color:

White no. 1
Grey Light no. 3
Grey Arzan no.7



OLYMPUS STONE

Spessore/ Thickness

8,8-9 mm

Formati/ Sizes

60x120 – 24"x48" Rett.

Finiture/ Finishing

Mat



A FACE



B FACE



C FACE



D FACE



OLYMPUS STONE

1 formati / sizes

1 spessore / thickness

8,8-9 mm




60x120 - 24"x48" rett.
Mat

Resistenza allo scivolamento / slip resistance **R10+**

ANTI-SLIP BOARD




BEIGE 20x120 - 8"x48" rett.



GREY 20x120 - 8"x48" rett.

Resistenza allo scivolamento / slip resistance **R11**

Grout color: Vanilla no. 29
Grey Light no. 3
Grey Arzan no.7



BRASILIAN STONE

Spessore/ Thickness

8,8-9 mm 60x120

Formati/ Sizes

60x120 – 24"x48" Rett.


Finiture/ Finishing

Mat



A FACE

B FACE



Brasilian Stone Grey

A FACE

B FACE



Brasilian Stone Light

BRASILIAN STONE

1 formati / sizes

1 spessore / thickness

8,8-9 mm 60x120



60x120 - 24"x48" rett.
Mat

Resistenza allo scivolamento / slip resistance **R10+**

ANTI-SLIP BOARD GREY 20x120 - 8"x48" rett.



Resistenza allo scivolamento / slip resistance **R11**

Grout color: Dark Grey no. 4



chambord dry stone

Spessore/ Thickness

9 mm

Formati/ Sizes

30x60 - 12"x24" Rett.

60x60 - 24"x24" Rett.

60x120 - 24"x48" Rett.

Finiture/ Finishing

Mat



The charm of the stone so hard, varied, radiating and foreboding of eternity. With a thousand year old tradition, the stone represents the solidity and strength of the architecture but also the beauty that defies time. As always, the birth of architecture man has used the stone to build palaces and places of worship and to create works of art that resisted the wear and tear of inexorable time.













Color Sand
30x60 + 60x60 + 60x120



Color Cement
30x60 + 60x60 + 60x120




Color Carbon
30x60 + 60x60 + 60x120

chambord dry stone


3 formati / sizes

1 spessore / thickness

9 mm



60x120 - 24"x48" rett.
Mat



60x60 - 24"x24" rett.
Mat




30x60 - 12"x24" rett.
Mat

Resistenza allo scivolamento / slip resistance **R9**


Grout color: Vanilla no. 29
Dark Grey no. 4
Black no. 2




schemi di posa/ laying sketches




60x120 - 24"x48"	56%
60x60 - 24"x24"	22%
30x60 - 12"x24"	22%



60x120 - 24"x48"	62,5%
60x60 - 24"x24"	25,5%
30x60 - 12"x24"	12%



60x120 - 24"x48"	70%
60x60 - 24"x24"	15%
30x60 - 12"x24"	15%



60x120 - 24"x48"	56%
60x60 - 24"x24"	22%
30x60 - 12"x24"	22%

MONTREAL MARBLE

Spessore/ Thickness

8,5-8,7 mm

Formati/ Sizes

60x60 – 24"x24" Rett.

Finiture/ Finishing


Super Polished




A FACE



B FACE





C FACE



D FACE

MONTREAL MARBLE

1 formati / sizes

1 spessore / thickness

8,5-8,7 mm



60x60 - 24"x24" rett.
Super Polished

combinations



60x60 - 24"x24" rett.
Mosaic Marble
Mat

Grout color: Dark Grey no. 4



ECOWOOD

Spessore/ Thickness

9 mm

Formati/ Sizes

20x120 8"X48" Rett.

Finiture / Finishing

Mat



ECOWOOD
WHITE

ECOWOOD
LIGHT

ECOWOOD
GRIGIO

ECOWOOD
NOGAL



ECOWOOD
HONEY

ECOWOOD
CHERRY

ECOWOOD
WENGE

ECOWOOD
MINIMAL

ECOWOOD
BLACK







ECOWOOD WHITE

20x120 8"X48" rett.



ECOWOOD LIGHT

20x120 8"X48" rett.



ECOWOOD GRIGIO

20x120 8"X48" rett.



ECOWOOD MINIMAL

20x120 8"X48" rett.



ECOWOOD NOGAL

20x120 8"X48" rett.



ECOWOOD HONEY

20x120 8"X48" rett.



ECOWOOD CHERRY

20x120 8"X48" rett.



ECOWOOD WENGE

20x120 8"X48" rett.



ECOWOOD BLACK

20x120 8"X48" rett.

ECOWOOD

1 formati / sizes

1 spessore / thickness

9 mm



20x120 8"x48" rett.
Mat

Resistenza allo scivolamento / slip resistance **R9**

ANTI-SLIP BOARD



BEIGE 20x120 - 8"x48" rett.




WENGE 20x120 - 8"x48" rett.

Resistenza allo scivolamento / slip resistance **R11**

Grout color:

Ivory no.9
Grey Light no. 3
Grey Arzan no.7
Beige no.8



Light Brown no. 11
Ceramic no. 16
Dark Brown no.12
Black no. 2



COTTO

Spessore/ Thickness
8,5-8,7 mm

Formati/ Sizes
60x60 – 24"x24" Rett.

Finiture/ Finishing
Mat








Repetition of 20 faces

COTTO

1 formati / sizes

1 spessore / thickness

8,5-8,7 mm



60x60 - 24"x24" rett.
Mat

Resistenza allo scivolamento / slip resistance **R9**

Grout color: Καφέ σκούρο No.12



MIX MARBLE PAVE

Spessore/ Thickness

8,5-8,7 mm


Formati/ Sizes


60x60 – 24"x24" Rett.

Finiture / Finishing

Super Polished








MIX MARBLE PAVE

1 formati / sizes



60x60 - 24"x24" rett.
Super Polished

1 spessore / thickness

8,5-8,7 mm

Grout color: Dark Grey no. 4



combinations



60x60 - 24"x24" rett.
Belgium Marble Super Polished



60x60 - 24"x24" rett.
Montreal Marble Super Polished



60x60 - 24"x24" rett.
Pisa Travertino Marble Super Polished

MARQUINA MARBLE

Spessore/ Thickness

9,5-9,3 mm

Formati/ Sizes

60x120 – 24"x48" Rett.

Finiture/ Finishing

Mat

Super Polished



A FACE

B FACE

C FACE

D FACE

MARQUINA MARBLE

1 formati / sizes

1 spessore / thickness

9,5-9,3 mm



60x120 - 24"x48" rett.
Super Polished
Mat

Mat surface
Resistenza allo scivolamento / slip resistance **R9**

Grout color:

Black no. 2




MARQUINA MARBLE

combinations




60x60 - 24"x24" rett.
Mosaic Marble
Mat



60x60 - 24"x24" rett.
Hygienic & Technical Black
Super Polished
Mat



60x120 - 24"x48" rett.
Pentelikon Marble Super White
Super Polished
Mat



60x60 - 24"x24" rett.
Pentelikon Marble Super White
Super Polished
Mat

PREMIUM MARQUINA MARBLE

Spessore/ Thickness

9mm

Formati/ Sizes

60x120 – 24"x48" Rett.


Finiture/ Finishing

Super Polished




A FACE

B FACE



C FACE

D FACE



PREMIUM MARQUINA MARBLE

1 formati / sizes

1 spessore / thickness

9 mm



60x120 - 24"x48" rett.
Premium Marquina Marble
Super Polished

Grout color:

Black no. 2




PREMIUM MARQUINA MARBLE

combinations




60x60 - 24"x24" rett.
Mosaic Marble
Mat



60x60 - 24"x24" rett.
Hygienic & Technical Black
Super Polished
Mat



60x120 - 24"x48" rett.
Pentelikon Marble Super White
Super Polished
Mat



60x60 - 24"x24" rett.
Pentelikon Marble Super White
Super Polished
Mat

Premium Marquina Marble tiles embody timeless elegance, sophistication, and versatility. With their striking black and white appearance and distinctive veining, these tiles are sure to make a lasting impression in any space. Whether you're renovating your home or working on a commercial project, these tiles are an excellent choice to elevate the aesthetic appeal of any interior.

HYGIENIC & TECHNICAL

Spessore/ Thickness
9 mm

Formati/ Sizes
60x60 – 24"x24" Rett.

Finiture / Finishing
Super Polished
Mat



HYGIENIC & TECHNICAL

THIS COLLECTION HAS USHERED IN A
NEW ERA OF DESIGN AND
ARCHITECTURE, BLENDING
AESTHETICS AND FUNCTIONALITY
SEAMLESSLY.






HIGH DURABILITY

WITH THIS UNIQUE QUALITY MAKES
IT A PREFERRED CHOICE FOR HIGH
TRAFFIC AREA LIKE SHOPPING
MALLS, PLAYGROUND, ETC.

ANTI BACTERIA


THESE TILES ARE RESISTANT TO STAINS, CHEMICALS, AND MOISTURE, MAKING THEM IDEAL FOR BATHROOMS, KITCHENS, AND OTHER AREAS PRONE TO SPILLS AND MOISTURE EXPOSURE.






AESTHETICS


THE DESIGN OF THESE TILES WITH BOTH MAT AND SUPER POLISEHD SURFACES, THIS COLLECTION ALLOWS DESIGNERS TO CREATE UNIQUE AND CAPTIVATING SPACES.




hygienic & technical - beige color in mat & super polished surfaces




hygienic & technical - grey color in mat & super polished surfaces



hygienic & technical- black color in mat & super polished surfaces



pentelikon marble super white 60x60 in mat & super polished surfaces




hygienic & technical- salt & pepper color mat surface

HYGIENIC & TECHNICAL

1 formati / sizes

1 spessore / thickness

9 mm



60x60 - 24"x24" rett.
Super Polished
Mat

Mat surface
Resistenza allo scivolamento / slip resistance **R9**


Grout color: White no. 1

Ice White no. 21

Vanilla no. 29

Dark Grey no. 4

Black no. 2



High Tech R&D in ceramic tile production is revolutionizing the industry. Innovations in materials science and manufacturing processes are leading to the creation of ceramic tiles that are not only aesthetically stunning but also highly durable and environmentally friendly. Advanced R&D efforts are focused on developing cutting-edge glazing techniques, digital printing technologies, and sustainable production methods. These breakthroughs are not only enhancing the visual appeal of ceramic tiles but also improving their resistance to wear and tear, making them ideal for a wide range of applications, from residential interiors to commercial spaces.

IN NATURE

Resistenza allo scivolamento / Slip resistance

R11

Spessore/ Thickness

9 mm

Formati/ Sizes

60x120 – 24"x48" Rett.

Finiture / Finishing


Mat



Outdoor solution



Indoor solution



Candia's groundbreaking innovation:


- **Unrestricted utility**
- **Seamlessly integrates into any natural architectural design.**
- **Combination with other range of Candia products, it elevates aesthetics to a whole new level, providing a blend of beauty.**
- **With the advantages of artificial granite, it gives a touch of nature to your spaces.**
- **Armed with antibacterial protection, ensuring a clean and healthy environment.**
- **Anti-slip feature provides an extra layer of safety.**
- **Maintenance-free brilliance, allowing you to enjoy its appearance without any hassle.**
- **No matter the weather, it withstands wear and tear effortlessly, ensuring longevity and enduring beauty.**

IN NATURE

1 formati / sizes

1 spessore / thickness

9 mm



60x120 - 24"x48" rett.
Mat

Resistenza allo scivolamento / slip resistance **R11**

Grout color:

Black no. 2




combinations


60x120
In Nature
Mat



60x60
Mosaic Marble
Mat



combinations



60x120
In Nature
Mat

60x60
Cotto
Mat





60x120
In Nature
Mat




60x120
Olympos Stone
Mat



60x120
Stone Age Light
Mat



60x120
Stone Age
Mat



60x120
Brazilian Stone
Light
Mat



60x120
Brazilian Stone
Grey
Mat

combinations



60x120.
In Nature
Mat



20x120 Ecowood White Mat 20x120 Ecowood Light Mat 20x120 Ecowood Grigio Mat 20x120 Ecowood Nogal Mat 20x120 Ecowood Honey Mat



20x120 Ecowood Cherry Mat 20x120 Ecowood Wenge Mat 20x120 Ecowood Minimal Mat 20x120 Ecowood Black Mat

CARATTERISTICHE TECNICHE/ TECHNICAL FEATURES

Hygienic & Technical

INFORMAZIONI TECNICHE TECHNICAL FEATURES	NORME ISO ISO NORM	VALORE PRESCRITTO DALLE NORME INTERNATION. STD ISO 13006/EN 176 GROUP Bla	VALORI CANDIA VALUES CANDIA
--	------------------------------	---	---------------------------------------

REGULATORY PROPERTIES

Deviation In Length	ISO-10545-2	±0.5%	±0.20%
Deviation in Thickness	ISO-10545-2	±5%	±4%
Straightness of Sides	ISO-10545-2	±0.5%	±0.10%
Rectangularity	ISO-10545-2	±0.5%	±0.20%
Surface Flatness	ISO-10545-2	±0.5%	±0.20%
Colour difference	ISO-10545-16	Unaltered	No change

STRUCTURAL PROPERTIES

Water Absorption	ISO-10545-3	<0.50%	<0.50%
Apparant density	DIN-51082	>2.00 g/cc	>2.28 g/cc

MASSIVE MECHANICAL PROPERTIES

Modulus or rupture	ISO-10545-4	Min 35 N/mm ²	Min 45 N/mm ²
Breaking Strength	ISO-10545-4	>1300 N	>2000N
Impact Resistance	ISO-10545-5	As per Mfg.	Min 0.55

SURFACE MECHANICAL PROPERTIES

Mohs Hardness	EN-101	Min.6	7
Deep abrasion resistance	ISO-10545-6	Max.175 mm ³	Max. 132 mm ³
Surface abrasion resistance	ISO-10545-7	As per Mfg.	N. A.

THERMOHYDROMATIC PROPERTIES

Frost Resistance	ISO-10545-12	Frost Proof	Frost Proof
Thermal Shock Resistance	ISO-10545-9	No Damage	No Damage
Moisture Expansion	ISO-10545-10	NIL	NIL
Thermal expansion (COE)	ISO-10545-8	Max. 9.0x10	Max. 6.5x10
Crazing Resistance	ISO-10545-11	As Per Mfg.	N.A.

CHEMICAL PROPERTIES

Chemical Resistance	ISO-10545-13	No Damage	No Damage
Stain Resistance	ISO-10545-14	Resistant	Resistant

SAFETY PROPERTIES

Slip resistance	ISO-10545-17	>0.40	>0.40
-----------------	--------------	-------	-------

CARATTERISTICHE TECNICHE/ TECHNICAL FEATURES

Ecwood

INFORMAZIONI TECNICHE TECHNICAL FEATURES	NORME ISO ISO NORM	VALORE PRESCRITTO DALLE NORME INTERNATIONAL STD 15622/2013 GROUP B 1 a	VALORI CANDIA VALUES CANDIA
--	------------------------------	--	---------------------------------------

DIMENSION & SURFACE QUALITY

Deviation in length & width	IS-13630-1	'+/- 0.1%	0.1%
Deviation in thickness	IS-13630-1	+/- 5.0%	3.5%
Straightness in side	IS-13630-1	+/-0.1%	0.1%
Rectangularity	IS-13630-1	+/-0.1%	0.1%
Surface Flatness	IS-13630-1	+/- 0.5%	0.2%
Surface Quality	IS-13630-1	95% Free From Visible Defect	95%

PHYSICAL & THERMAL PROPERTIES

Water Absorption	IS-13630-2	0.05%	<0.05%
Modules of Rapture	IS-13630-6	38 N/MM2	35 N/MM^3
Flexural Breaking Strength	IS-13630-6	>1500 N	>1300N
Moisture Expansion	IS-13630-3	Nil	0.02%
Scratch Hardness (MOH's)	IS-13630-13	3.-4*	MIN-5
Resistance of Surface Abrasion	IS-13630-11	120 MM3	max. 140 Mm^3
Thermal Expansion	IS-13630-4	6 x 10^-6 k^-1	6 x 10^-6 k^-1
Thermal shock Resistance	IS-13630-5	10 Cycle Passed	min 10 cycle
Frost Resistance	IS-13630-10	No Damage	no damage
Bulk Density	IS-13630-2	2.3 gm/cc	> 2.2 gm/cc
Glossiness	glossmeter	>85%	as per mfg. norms
Impact Resistance	IS-13630-14	0.30 MIN	0.55 MIN

CHEMICAL PROPERTIES

Resistance of Staining	IS-13630-8	Class Min	Class Min
Household Chemicals	IS-13630-8	Class AA Min	Class AA Min
Acid Resistance	IS-13630-8	Resistance	Resistance

CARATTERISTICHE TECNICHE/ TECHNICAL FEATURES

Carrara Marble, Chambord Dry Stone, Crema Vanilla Marble, Epidavros Marble, In Nature, Metallica 2, Neutral, Premium Marquina Marble, Pentelikon Marble Super White in Glazed Porcelain, Tibet Stone, Versailles Marble

INFORMAZIONI TECNICHE TECHNICAL FEATURES	NORME ISO ISO NORM	VALORE PRESCRITTO DALLE NORME INTERNATIONAL STD ISO 13006/EN 176 GROUP Bla	VALORI CANDIA VALUES CANDIA
--	------------------------------	--	---------------------------------------

DIMENSION & SURFACE QUALITY

Deviation In Length	ISO-10545-2	±0.6%	±0.2%
Deviation in Thickness	ISO-10545-2	±5%	±3%
Straightness of Sides	ISO-10545-2	±0.5%	±0.2%
Rectangularity	ISO-10545-2	±0.6%	±0.2%
Surface Flatness	ISO-10545-2	±0.5%	±0.2%

PHYSICAL & THERMAL PROPERTIES

Water Absorption	ISO-10545-3	<0.50%	<0.40%
Mohs Hardness	EN-101	Min.5	Min.5
Flexural Strength	ISO-10545-4	>35 N/mm ²	>40N/mm ²
Slip Resistance (Friction Coefficient)	ISO-10545-17	>0.4	4
Breaking Strength	ISO-10545-11	>1113 N	>1800N
Frost Resistance	ISO-10545-12	Frost Proof	Frost Proof
Thermal Shock Resistance	ISO-10545-9	No Damage	No Damage
Moisture Expansion	ISO-10545-10	NIL	NIL
Resistance to Surface Abrasion	ISO-10545-7	Abrasion class shall be specified by the manufacturer	PEI IV & V

CHEMICAL PROPERTIES

Chemical Resistance	ISO-10545-13	No Damage	No Damage
Color Resistance	ISO-10545-16	No Damage	No Damage
Stain Resistance	ISO-10545-14	Resistant	Resistant

CARATTERISTICHE TECNICHE/ TECHNICAL FEATURES

Alpes Marble, Belgium Marble, Brazilian Grey, Cotto, Dionysos Marble, Florence Marble, Lava Stone, Marquina Marble, Mix Marble Pave, Montreal Marble, Mosaic Marble, Olympos Stone, Pag Stone, Patagonia Marble, Travertino Marble, Stone Age

INFORMAZIONI TECNICHE TECHNICAL FEATURES	VALORE PRESCRITTO DALLE NORME		VALORI MEAN VALUE	NORME ISO ISO NORM
	STANDARD AS PER 15013006:2018/ EN14411 Gr.Bia	STANDARD AS PER IS 15622:2017 Gr.Bia		
STRUCTURAL PROPERTIES				
Water Absorption	≤0.50%	≤0.080%	≤0.080%	ISO 10545-3/IS 13630-2
Bulk Density	As per Manufacturer	Min 2.20 g/cc	> 2.28 gm/cc	ISO 10545-3/IS 13630-2
MASSIVE MECHANICAL PROPERTIES				
Modulus of Rupture	Min. 35.0 N/mm	Min. 35.0 N/mm	Min. 40.0 N/mm	SO 10545-4/IS 13630-6
Breaking Strength Thickness =7.5 mm	Min 1300.0 N	Min 1300.0 N	Min 6000.0 N	ISO 10545-4/IS 13630-6
SURFACE MECHANICAL PROPERTIES				
MOHS Hardness#	As per Manufacturer	Min. 5	Polished Min 4*/ Satin & Posh Min 6	BS EN 15771/IS 13630-13
Surface Abrasion Resistance#	As per Manufacturer	Min.Class II	Polished Min II**/ Satin & Posh Min III	ISO 10545-7/IS 1363011
THERMAL HYGROMETRIC PROPERTIES				
Moisture Expansion	Max 0.06% (0.6 mm/m)	Max 0.02 mm/m	Max 0.02 mm/m	ISO 10545-10/IS 13630-3
Thermal Expansion(COE) at 100C	As per Manufacturer	Max. 6.0 x 10-6	Max. 6.0 x 10-6	ISO 10545-8/IS 13630-4
Thermal Shock Resistance	Min 10 Cycle	Min 10 Cycle	Min 10 Cycle	ISO 10545-9/IS 13630-5
Impact Resistance(COR) #	Min. 0.55	Min 0.55	Min 0.55	ISO 10545-5/IS 13630-14
Frost Resistance	As per Manufacturer	As per Manufacturer	Frost Proof	ISO 10545-12/IS 13630 10
Crazing Resistance at 7.5 bar	4 Cycle	4 Cycle	4 Cycle	ISO 10545-11/IS 13630-9
CHEMICAL PROPERTIES				
Resistance to Staining Glazed	Min.Class 3	MinClass 1	Min.Class3/ Min.Class 1	ISO 10545-14/IS 13630-8
Resistance to Household Chemicals & Swimming Pool Salts Glazed	MinClass GB	MinClass AA	Min Class GB/ Min Class AA	ISO 10545-13/IS 13630-8
Resistance to Low Concentrate Acid and Alkalis Glazed	As per Manufacturer	As per Manufacturer	Min Class GLB****/ Min Class A****	ISO 150 10545 13/ IS 13630-8
Resistance to HighConcentrate Acid and Alkalis Glazed	As per Manufacturer	As per Manufacturer	Min Class GHB****/ Min Class A****	ISO 150-1054513/ IS 13630-8
SAFETY PROPERTIES				
Skid Resistance - (DCOF-WET PENDULUM)##	As per Manufacturer	As per Manufacturer	Glossy≥PO,Satin,Posh≥PI	BS 7976-2
Slip Resistance -Satin/Posh (DCOF- R Value)##	As per Manufacturer	As per Manufacturer	R9 to R10	DIN 51130
Lead and Cadmium Release	As per Manufacturer	N.A.	Does not yield Pb & Cd	150-1054515

CARATTERISTICHE TECNICHE/ TECHNICAL FEATURES
Pentelikon Marble Super White in Wall Tile

INFORMAZIONI TECNICHE TECHNICAL FEATURES	VALORE PRESCRITTO DALLE NORME INTERNATIONAL STD ISO 13006/EN 176 GROUP BIa	VALORI CANDIA VALUES CANDIA
DIMENSION & SURFACE QUALITY		
Deviation In Length	±0.5%	±0.4%
Deviation in Thickness	±5%	±3%
Straightness of Sides	±0.5%	±0.4%
Rectangularity	±0.6%	±0.4%
Surface Flatness	±0.5%	±0.2%
PHYSICAL & THERMAL PROPERTIES		
Water Absorption	>10%	>10%
Bending strengths	>220kgs/cm ²	>220kgs/cm ²
Chemical Resistance	Resistance to all alkalies (except hydro flouric Acid and it's compounds)	Resistance to all alkalies (except hydro flouric Acid and it's compounds)
Thermal Shock Resistance	10 cycles	10 cycles

TABELLA IMBALI/ PACKAGING

		SPESSORE THICKNESS	PCS/BOX	MQ/BOX	KG/BOX	BOX/PLT.	MQ/PLT.	KG/PLT.
20X120	MAT R9	9 mm	5	1,2	23,5	39	46,8	956,5
30X60	MAT R9	9 mm	5	0,9	18	60	54	1080
30x60	MAT R10	9 mm	6	1,08	22	66	71,28	1452
30x90 WALL	MAT R9	8,5 mm	4	1,08	18,5	63	68,04	1165
30x90 WALL	POLISHED	8,5 mm	4	1,08	18,5	63	68,04	1165
60X120	MAT R9	8,8-9 mm	2	1,44	28-29	34	48,96	993
60X120	MAT R10	8,8-9 mm	2	1,44	28-29	34	48,96	993
60X120	POLISHED	8,8-9 mm	2	1,44	28-29	34	48,96	993
60X120	MAT R9	9 mm	2	1,44	28,5	34	48,96	969
60X120	MAT R11	9 mm	2	1,44	27,6	34	48,96	938,4
60X120	POLISHED	9 mm	2	1,44	28,5	34	48,96	969
60x120 P. MARQUINA	POLISHED	9 mm	2	1,44	27,6	34	48,96	935
60X60	MAT R9	8,5-8,7mm	4	1,44	27-28	36	51,84	1014
60X60	MAT R10	8,5-8,7mm	4	1,44	27-28	36	51,84	1014
60X60	POLISHED	8,5-8,7mm	4	1,44	27-28	36	51,84	1014
60X60	MAT R9	9 mm	4	1,44	26,5	44	63,36	1166
60X60	MAT R11	8,5 mm	4	1,44	26,5	44	63,36	1166
60x60	POLISHED	9 mm	4	1,44	26,5	44	63,36	1166
60x60 S&P	MAT R9	9 mm	4	1,44	26,5	44	63,36	1166
60x60 HYGI. & TECH.	MAT R9	9 mm	4	1,44	28,5	44	63,36	1254
100X100	MAT R9	9 mm	2	2	40	28	56	1120
100X100	POLISHED	9 mm	2	2	40	28	56	1120

 ΕΘΝΙΚΟ ΚΕΝΤΡΟ ΕΡΕΥΝΑΣ ΦΥΣΙΚΩΝ ΕΠΙΣΤΗΜΩΝ «ΔΗΜΟΚΡΙΤΟΣ» Τ.Θ. 60037 / Ο.Σ. 15310 ΑΓΙΑ ΠΑΡΑΣΚΕΥΗ ΑΤΤΙΚΗΣ Τηλέφωνο: 210-6503005 FAX: 210-6503050	 ΔΟΚΙΜΕΣ Αρ.Πρωτ.: τεχνικού 442	Αγία Παρασκευή 24 Φεβ 2023
		Α.Π. 260/0/ 2305
ΕΚΕΦΕ "ΔΗΜΟΚΡΙΤΟΣ" ΙΝΣΤ. ΠΥΡΗΝΙΚΩΝ & ΡΑΔΙΟΛΟΓΙΚΩΝ ΕΠΙΣΤΗΜΩΝ & ΤΕΧΝΟΛΟΓΙΑΣ, ΕΝΕΡΓΕΙΑΣ & ΑΣΦΑΛΕΙΑΣ (Ι.Π.Ρ.Ε.Τ.Ε.Α.) ΕΡΓΑΣΤΗΡΙΟ ΡΑΔΙΕΝΕΡΓΕΙΑΣ ΠΕΡΙΒΑΛΛΟΝΤΟΣ Τ.Θ.: 60037 - Τ.Κ.: 15310 - ΑΓΙΑ ΠΑΡΑΣΚΕΥΗ ΑΤΤΙΚΗΣ Τηλέφωνο: 210-6503005 FAX: 210-6503050	ΠΡΟΣ : ΑΒΜ ΤΕΧΝΟΛΟΓΙΚΗ ΑΕ ΕΞΟΔΟΣ 4 ΑΣΠΡΟΠΥΡΓΟΣ Τ.Κ.: 19300 ΤΗΛ: 2105596230	
ΠΛΗΡΟΦΟΡΙΕΣ: Κ.ΕΛΕΥΘΕΡΙΑΔΗΣ / Β.ΒΑΣΙΛΑΤΟΥ www: http://www.ipretea.demokritos.gr http://www.ipeta.demokritos.gr/eri/eri.html email: elefther@ipta.demokritos.gr , contact-eri@ipta.demokritos.gr	ΚΟΙΝ :	
Σχετικό σορ :		
Σχετικό μας : 140/2023-457/10-02-2023		

ΠΙΣΤΟΠΟΙΗΤΙΚΟ ΜΕΤΡΗΣΗΣ ΡΑΔΙΕΝΕΡΓΕΙΑΣ ΔΕΙΓΜΑΤΩΝ

Ημερομηνία Δειγματοληψίας : 10 Φεβ 2023	Ημερομηνία Μέτρησης : 13/02/2023 και 21/02/2023
Προέλευση : ΕΛΛΑΔΑ	
Προορισμός :	

ΠΕΡΙΓΡΑΦΗ ΔΕΙΓΜΑΤΩΝ

Α.Α ΕΚΕΦΕ "Δ"	Είδος Δείγματος κατά δήλωση της "ΑΒΜ ΤΕΧΝΟΛΟΓΙΚΗΣ Α.Ε."
233005	Πλάκακι CANDIA
	Δείκτης συγκέντρωσης ενεργότητας: $I = C(Ra226)/300 + C(Th232)/200 + C(K40)/3000 < 0,89 \text{ Bq/kg}$
	$C(U238) = 31 \pm 19 \text{ Bq/kg}$, $C(Ra226) = 59,8 \pm 1,5 \text{ Bq/kg}$, $C(Th232) = 83,4 \pm 2,0 \text{ Bq/kg}$
	$C(K40) = 521 \pm 14 \text{ Bq/kg}$
	$Cs137 < 0,1 \text{ Bq/kg}$
	Κάτοχος δείγματος: ΑΒΜ ΤΕΧΝΟΛΟΓΙΚΗ Α.Ε.
Το δείγμα κρίνεται κατάλληλο για κατανάλωση από πλευράς ραδιενέργειας	
ΠΑΡΑΤΗΡΗΣΕΙΣ :	Το δείγμα κρίνεται κατάλληλο για εμπορική, βιομηχανική και κατασκευαστική χρήση σύμφωνα με το Προεδρικό Διάταγμα υπ' αριθμόν 101 (Φ.Ε.Κ. Α' 194/20-11-2018) περί προσαρμογής της ελληνικής νομοθεσίας στην Οδηγία 2013/59/Ευρατομ του Συμβουλίου, της 5ης Δεκεμβρίου 2013 (ΕΕ L13/17.1.2014), για τον καθορισμό βασικών πρατύπων ασφαλείας για την προστασία από τους κινδύνους που προκύπτουν από τις ιονίζουσες ακτινοβολίες - Θέσηση Κανονισμών Ακτινοπροστασίας. Δεν ανιχνεύθηκαν τεχνητά ισότοπα στο δείγμα.



 Ο Αρμόδιος
Δρ Κ.ΕΛΕΥΘΕΡΙΑΔΗΣ



Certificate of Compliance

This is to certify that

ABM TECH S.A.

ATTIKI AVENUE EXIT NO 4, ASPROPYRGOS ATHENS

has been independently assessed by QVA and is compliant with the requirement of the standard

ISO 17721-1:2021

Quantitative determination of antibacterial activity of ceramic tile surfaces — Test methods — Part 1: Ceramic tile surfaces with incorporated antibacterial agents For the following scope of activities

CANDIA FASCINO ITALIANO, PORCELAIN TILES, CERAMIC TILES, MATT AND POLISHED

Certificate Number: QVA-ABGV45874

To verify this certificate please visit at www.gaafs.us

Date of Certification	21 TH JUNE 2023
Issuance Date	21 TH JUNE 2023
Re-Certificate Due	20 TH JUNE 2024

Registered

Authorized Signatory



QVA Certification

CAB Address : Maryland Avenue, SW Washington, D.C. 20202

Validity of this certificate is subject to annual surveillance audits to be done successfully

This certificate is the property of QVA Certification and shall be returned immediately on request

QVA Certification is an independent Systems Products and Personal assessment Body, QVA Certification is a accredited by GAAFS.US

note / notes

note / notes

Candia[®]

Fascino Italiano

Organization
&
High Tech RND

info@abmcosmos.com
www.abmcosmos.com